TOAST

Medication log

Before you can give TOAST medication to your baby, it needs to be made up, or 'reconstituted'.

Reconstituted medication should be stored in the fridge for up to 28 days.

After 28 days, even if there's some medication left, discard the medication and start a new bottle (e.g. if you reconstituted medication on Tuesday 5 November, you should throw it away on Tuesday 3 December).

To keep track of when you should discard the medication, log the date of reconstitution in the table below and write in the date of expiry. You might want to set a reminder in your phone or diary for this date.

Date you reconstituted the medication	Date the medication will expire
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y
D D / M M / Y Y	D D / M M / Y Y

NPEU Clinical Trials Unit, National Perinatal Epidemiology Unit (NPEU)
Nuffield Department of Population Health, University of Oxford, Old Road Campus, Oxford OX3 7LF

T: 01865 289278 E: toast@npeu.ox.ac.uk W: www.npeu.ox.ac.uk/toast

tofs
University of Southampton
Evelina London
University of Liverpool
FUNDED BY NIHR | National Institute for Health and Care Research
NPEU Clinical Trials Unit
Oxford Population Health NPEU